



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/787,077	03/14/2001	Takuya Ishida	108108	1463

25944 7590 02/25/2004

OLIFF & BERRIDGE, PLC  
P.O. BOX 19928  
ALEXANDRIA, VA 22320

EXAMINER

CASIANO, ANGEL L

ART UNIT	PAPER NUMBER
----------	--------------

2182

DATE MAILED: 02/25/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/787,077

Applicant(s)

ISHIDA ET AL.

Examiner

Angel L. Casiano

Art Unit

2182

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 08 December 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☒ Claim(s) 1 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 2182

**DETAILED ACTION**

***Response to Amendment***

1. The present Office action is in response to Amendment dated 08 December 2003.
2. Claims 1-23 are pending.

***Priority***

3. The present application claims priority date of 15 July 1999 under 35 U.S.C. 371, from International application PCT/JP00/04637.

***Specification***

4. Previous objection to the Specification has been overcome with the corrections included in the present Amendment.

***Claim Objections***

5. Claim 1 is objected to because of the following informalities: "the linked packet" should read "a linked packet", since no previous reference is made in the claim. Appropriate correction is required.

***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2182

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1, 3, 10-12, 14-15, 17-18, 20-21, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lawande et al. [US 6,219,697 B1] in view of Fujimori et al. [US 6,108,718].

Regarding claim 1, Lawande et al. teaches a data transfer control device (see Abstract; col. 4, line 7) for transferring data between nodes connected to a bus (see Abstract; col. 1, lines 1-4; col. 23, line 33). The cited prior art teaches identification information (see Abstract; col. 2, lines 34-42; see Fig. 6A; col. 4, line 21). A reset interval is defined by the cited prior art (see col. 13, lines 5-13; col. 14, lines 53-55). The cited disclosure links each received packet with the generated identification information (see Abstract). Lawande et al. teaches writing the linked packet and identification information into a packet storage (see col. 23, lines 35-44). However, Lawande et al. does not explicitly teach a *circuit* which generates identification information for determining whether or not one received packet and the next received packet are received during different reset intervals, as claimed. Fujimori et al. teaches a method for information delivery including a circuit, which generates identification information and determines if a packet has been received during a reset interval (see col. 8, lines 6-24). Accordingly, one of ordinary skill in the art would have been motivated to combine the cited references in order to reduce the number of communication of control signals and apply this improvement to systems using an IEEE 1394 serial bus (see Fujimori et al., col. 1, lines 5-11).

Regarding claim 3, Lawande et al. teaches storing packets (see col. 23, lines 35-36, 41) including control information area (inherent, see col. 23, lines 29-32) and data area (see col. 23, lines 51-54). The cited art also discloses identification information as part of the control information (see “identifier”, col. 23, lines 29-32). The cited reference does not specify the storage means (see “memory”) as randomly accessible. However, randomly accessible memory is well known in the art, since it retains its contents when power is turned off. Therefore, one of ordinary skill in the art would have been motivated to specify the cited storage means as randomly accessible, in order to obtain a memory which has the information permanently placed into it.

Regarding claim 10, Lawande et al. teaches a data transfer control device for transferring data between a plurality of nodes connected to a bus (see Abstract). The cited disclosure includes read means for reading a packet from storage when a transmission start command has been issued (see col. 12, lines 56-58) as well as link means for transmitting read packet to each node (see col. 12, lines 61-63). Lawande et al. also teaches status storage, indicating that transmission has been halted (see “stopped”, col. 13, line 57) by the occurrence of a reset (see col. 12, lines 41-43, 46-50).

As for claim 11, the cited art exposes processing means for issuing the transmission start command (see col. 12, line 58; Fig. 6A). The processing means included in the reference cancels transmission processing that has already started (see col. 12, lines 56-57) without determining whether or not transmission has been completed when it has been determined from the status

Art Unit: 2182

information that transmission of a packet has been halted by the occurrence of the reset (see “reset”, col. 12, line 39; Fig. 6A).

As for claim 12, the data transfer control device disclosed by Lawande et al. teaches a bus reset as defined by the IEEE 1394 standard (see Abstract; col. 12, lines 50-53; col. 25, lines 11-15).

As for claim 14, the data transfer control device disclosed by Lawande et al. teaches a bus reset as defined by the IEEE 1394 standard (see Abstract; col. 12, lines 50-53; col. 25, lines 11-15).

As for claim, 15, the data transfer control device disclosed by Lawande et al. includes data transfer according to the IEEE 1394 standard (see Abstract; col. 25, lines 20-21).

As for claim 17, the data transfer control device disclosed by Lawande et al. includes data transfer according to the IEEE 1394 standard (see Abstract; col. 25, lines 20-21).

As for independent claims 18 and 21, these constitute the electronic equipment including the data transfer control device as disclosed in claim 1. Claim 1 is rejected in the present Office action. Therefore, claims 18 and 21 are rejected under the same rationale.

As for independent claims 20 and 23, these constitute the electronic equipment including the data transfer control device as disclosed in claim 10. Claim 10 is rejected in the present Office action. Accordingly, claims 20 and 23 are rejected under the same rationale.

Art Unit: 2182

8. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lawande et al. [US 6,219,697 B1] in view of Fujimori et al. [US 6,108,718] in further view of Robins [US 5,590,124].

Regarding claim 2, the combination of Lawande et al. in view of Fujimori et al. teaches identification information (see col. 2, lines 34-42). Nonetheless, this information is not specified as a toggle bit that toggles from zero to one or from one to zero when one received packet and the next received packet are packets received within different reset intervals. It would have been obvious to one of ordinary skill in the art at the time of the invention that a toggle bit is a common status indicator. As it is well known in the art, a toggle is usually associated with software configurations. Accordingly, Robins teaches a toggle bit to indicate the status of a pin (see col. 34, lines 63-65). Therefore, it would have been obvious to one of ordinary skill in the art to modify the combination of references by including a toggle bit in order to incorporate a well known indicator for the software application.

9. Claims 4-9, 13, 16, 19, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lawande et al. [US 6,219,697 B1] in view of Fujimori et al. [US 6,108,718] in further view of Gehman et al. [US 6,304,553 B1].

Regarding claims 4 and 5, the combination of references teaches a data transfer control device (see Abstract; col. 4, line 7) for transferring data between nodes connected to a bus (see Abstract; col. 1, lines 1-4; col. 23, line 33). However, the cited combination does not teach a first pointer

Art Unit: 2182

storage means for storing pointer information that specifies a boundary in the packet storage means. Nonetheless, the references do teach identification for the packets received before the occurrence of a reset that clears node topology information and for packets received after the occurrence of the reset (Lawande et al., see col. 2, lines 34-38). In addition, Gehman et al. teaches a data transfer control device where pointer information specifies a boundary in storage (see col. 5, lines 48-49). One of ordinary skill in the art would have been motivated to modify the combination of references in order to obtain a data transfer control device applicable to the IEEE 1394 standard having a pointer as a reference (e.g. "start address") for a boundary.

As for claims 6 and 7, the combination of prior art teaches information for processed and unprocessed packets (see Abstract) as well as for received and not received packets. However, the prior art does not teach a second or third pointer storage means for storing pointer information that specifies a boundary in the packet storage means. Nonetheless, Gehman et al. teaches a data transfer control device where pointer information specifies a boundary in storage (see col. 5, lines 48-49). One of ordinary skill in the art would have been motivated to modify the cited references in order to obtain a data transfer control device applicable to the IEEE 1394 standard having a pointer as a reference for a boundary.

As for claim 8, the combination of references teaches storing packets (see col. 23, lines 35-36, 41) including control information area (inherent, see col. 23, lines 29-32) and data area (see col. 23, lines 51-54). The cited combination of prior art also discloses identification information as part of the control information (see "identifier", col. 23, lines 29-32). However, the cited art



Art Unit: 2182

does not teach a first pointer storage means for storing pointer information that specifies a boundary in the packet storage means, and which includes fourth and fifth pointer storage means. Nonetheless, the references do teach identification for the packets received before the occurrence of a reset that clears node topology information and for packets received after the occurrence of the reset (inherent, see col. 2, lines 34-38). Gehman et al. teaches a data transfer control device where pointer information specifies a boundary in storage (see col. 5, lines 48-49). One of ordinary skill in the art would have been motivated to modify the cited combination of references in order to obtain a data transfer control device applicable to the IEEE 1394 standard having a pointer as a reference (e.g. for “control information”) for a boundary.

As for claim 9, the combination of references teaches storing packets (see col. 23, lines 35-36, 41) including a data area (see col. 23, lines 51-54). The cited art combination also discloses identification information as part of the control information (see “identifier”, col. 23, lines 29-32). However, it does not teach a fifth pointer storage means for storing pointer information that specifies a boundary in the first data area. The prior art teaches identification for the packets received before the occurrence of a reset that clears node topology information and for packets received after the occurrence of the reset (inherent, see col. 2, lines 34-38). Accordingly, Gehman et al. teaches a data transfer control device where pointer information specifies a boundary in storage (see col. 5, lines 48-49). One of ordinary skill in the art would have been motivated to modify the cited combination of references in order to obtain a data transfer control device applicable to the IEEE 1394 standard having a pointer as a reference for indicating a boundary.

Art Unit: 2182

As for claims 13 and 16, the cited references teach a bus reset and data transfer in accordance with the IEEE 1394 standard (see Lawande et al, "Abstract"; Gehman et al., col. 5, lines 25 and 39-50). One of ordinary skill in the art would have been motivated to modify the cited combination of references in order to obtain a data transfer control device, applicable to the IEEE 1394 standard, and able to provide a reference (see "boundary") for the data processing by using a pointer.

As for independent claims 19 and 22, these are oriented to the electronic equipment including the data transfer control device, as disclosed in a previous claim (see claim 4). The previous claim is rejected in the present Office action under 35 U.S.C. 103(a). Accordingly, the present claims are being rejected under the same rationale.

***Response to Arguments***

10. Applicant's arguments, see Amendment, filed 08 December 2003, with respect to the rejection(s) of claim(s) 1-23 under 35 U.S.C. 103(a) and 35 U.S.C. 102(e) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Fujimori [US 6,108,718].

11. Claims **18-23** are construed to be **independent claims** and therefore Deposit Account 15-0461 is being charged \$516.00 (\$86 x 6, fee code 1201), as authorized in the Transmitted<sup>al</sup> paperwork included in the application.

*Conclusion*

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- Hauck et al. [US 6,628,607 B1] teaches method and apparatus for loop breaking on a serial bus.
- Sato [US 6,185,622 B1] teaches that when a bus reset occurs, a parental relationship of nodes is determined automatically, and the nodes send out self ID packets in a predetermined order to a 1394 serial bus.
- Iijima et al. [JP 09282263 A] teaches self-ID packets in a computer system having a serial IEEE 1394 bus.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angel L. Casiano whose telephone number is 703-305-8301. The examiner can normally be reached on 9:30-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Gaffin can be reached on 703-308-3301. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2182

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

alc  
20 February 2004.



JEFFREY GAFFIN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2160